

# T. 5, R. 3 W. 1<sup>st</sup> Mer.

Meanders 275

	270	270	269	269
5	4	3	2	1
291	291	290	288	288
8	9	10	11	12
280	280	279	279	278
17	16	15	14	13
291	292	292	294	294
20	21	22	23	24
285	281	282	283	283
29	28	27	26	25
299	297	297	295	295
32	33	34	35	36
272	272	271	271	271

# T. 6, R. 3 W. 1<sup>st</sup> Mer.

	302	301	301
4	3	2	1
347	316	315	315
9	10	11	12
311	310	310	309
16	15	14	13
318	318	320	320
21	22	23	24
313	313	312	312
28	27	26	25
323	323	321	321
33	34	35	36
304	302	302	302

Township No. 5 Range No. 3 West 1. Mer.  
Indiana

North Boundary of T. No 5 R. No. 3 W.  
 West 1<sup>st</sup> Mile West from the N. East corner

1.25 a Water course 8 hrs. wide runs S 25 E

17.36 a Black Gum 18 ins. dia. the land covered with  
 saplings & green briars, with an uneven guttered surface

43.86 a Black Oak 12 ins. dia. on the fourth side of a  
 ridge, thin soil

53.00 a branch of Hogan's creek 80 hrs. wide runs South  
 a small stream, gentle current, strong channel

78.53 a Sugar tree 11 ins. dia

80.00 a post from which a Hickory 18 ins. dia. bears S 28 E  
 24 hrs. dis. & an Elm 5 ins. dia. bears N 10 E 18 hrs. dis.  
 This mile poor. Date land, all ridges & gutters  
 timber Oak, Hickory, some Ash, Gum, &c. & much  
 covered with saplings, small brush and green  
 briars.

West 2<sup>nd</sup> Mile West

9.27 a Black Walnut 18 ins. dia

9.50 a Water course 10 hrs. wide bears South

13.00 a branch of Hogan's creek runs S 5 E 200 hrs. wide,  
 a stream sufficient for an overshot mill, gentle  
 current, stony bottom

29.14 a Black Walnut 26 ins. dia

41.00 a Hickory 12 ins. dia. on the S. of a ridge

60.50 a very deep gutter bears North

70.00 middle branch of Hogan's creek, same wide  
 channel rapid water & stony bottom runs N 8 E

80.00 a post in channel of Hogan's creek from which  
 a Sycamore 14 ins. dia. bears N 58 E 58 hrs. dis.  
 & a Hornbeam 2 1/2 ins. dia. bears S 53 E 15 hrs.  
 This mill all broken, ridges & deep gutters 3 miles,  
 good of the quality, timber Oak, in some few

G. 5 R. 3 Mt 1<sup>st</sup> Mer

Places Oak, Sugar tree & Michaux, exceedingly covered with Saplings, Spice & green briars

West 3<sup>rd</sup> Mile West

- 2.00 West bank of Hogan's creek, comes from N 45 W  
13.52 a B. Walnut 18 ins. dia., from the last post along the N. side of a ridge the land 2<sup>nd</sup> rate, covered with Spice & green briars in the extreme  
22.50 a Water course 18 hrs. wide runs N 60 E, no water, continues on the line 500 hrs. the ridges on each side very high & steep and but little timber  
14.34 a Michaux 14 ins. dia. on the S. side of large ridge, timber almost all destroyed by fire - good 2<sup>nd</sup> rate land, very brushy  
30.00 a Post, from which a W. Walnut 10 ins. dia. bears S 89 W 21 hrs. dis. & a Beech 6 ins. dia. bears N 41 W 29 hrs. dis. - This mile 2<sup>nd</sup> rate land, the 1<sup>st</sup> 1/2 mile, thin from timber the latter well timbered, much broken, ridges & gutters covered with Saplings Spice & Thorny

West 4<sup>th</sup> Mile West

- 4.66 a White Oak 24 ins. dia  
9.3 a Sugar tree 10. " "  
20.20 a B. Oak 20 ins. dia. on a ridge the land 2<sup>nd</sup> rate well timbered from the post  
44.00 a Poplar 24 ins. dia  
53.15 a forked Poplar 40 ins. dia, rich open timber, land prime 2<sup>nd</sup> rate level surface  
74.63 a post on the Indian boundary line, from which a W. Oak 40 ins. dia. bears S 57 W 22 1/2 hrs. dis. & a Gum 6 ins. dia. bears S 78 E 25 hrs. dis. This mile prime 2<sup>nd</sup> rate land with fine timber Oak, Beech, Poplar, Gum, Sugar tree, Michaux, & the last 1/2 of this mile, level surface & but few Saplings or underbrush, marked & numbered by the plan, from this post measured N. to the 26<sup>th</sup> mile post 45 hrs. 36 hrs.,

South Boundary of J. No. 5. R. No. 3. M.  
1<sup>st</sup> Mile (West from the S. East corner)

- 7.52 a Blue Ash tree 10 ins. dia  
11.23 E. bank of Lougherry creek bears N. 3.60 hrs. wide, from  
the post down a steep hill to this place  
20.73 W. bank of Lougherry creek in high water  
27.96 a Sugar tree 24 ins. dia. in rich bottom  
41.76 E. bank of Lougherry where it bears S 36 E, 3.70 hrs. wide  
53.84 a Beech 12 ins. dia.  
55.00 E. bank of Lougherry runs N 40 E 3.50 hrs. wide  
60.00 a deep gutter bears South no water  
70.00 a Water course 40 hrs. wide, bears S. no water  
80.00 a post from which a Beech tree 9 ins. dia. bears  
N 30 W 52 hrs. dia. & a Sugar tree 4 ins. dia. bears N 30 E  
47 hrs. dia. This mile exceedingly covered except a small  
bottom on the creek. Timber - Beech, Sugar tree, Hickory,  
Oak, Ash & but little underbrush - Nov. 10<sup>th</sup> 1800

West 2<sup>nd</sup> Mile West

- 9.23 a Beech tree 9 ins. dia.  
11.38 another 12 ins. dia. on the top of the ridge 16 hrs. from bottom  
31.27 a Sugar tree 8 ins. dia. The land continues broken  
46.25 a Water course 20 hrs. wide bears N. no water  
47.58 an Ash tree 8 ins. dia.  
57.14 a Spanish Oak 36 ins. dia.  
77.29 Intersected the line run from the cor. of Sec. P. No. 22.  
23.26 & 27. J. S. R. 3. 18 hrs. N. of the measure, here  
fixed a post, from which a Dogwood 5 ins. dia. bears  
S 38 E 34 hrs. dia. & a Sugar tree 5 ins. dia. bears N 27 W  
19 hrs. dia. This mile exceedingly broken all ridges &  
deep gutters. Timbered as the preceding mile.  
Marked the trees by the plan

West 3<sup>rd</sup> Mile West

- 6.25 a Dutch tree 18 ins. dia.  
14.87 a White Oak tree 48 ins. dia.



## S. 5 R. 3 W. 1 Mer.

- 44.00 a Water course 10 lbs. wide bears S. no water  
 58.75 a deep gutter bears S. no water  
 65.12 a B. Black Oak tree 24 ins. dia.  
 80.00 a post on a ridge from which a White Oak 16 ins. dia. bears S  $2\frac{1}{2}$  W 22 lbs. dia. & another 14 ins. dia. bears N 10 W 30 lbs. dia. This mile 3<sup>rd</sup> mile land  $\frac{1}{4}$  of the line on 2<sup>nd</sup> rate with fine timber. B. Oak, Sugar tree, Oak, Poplar, Gum, with much underbrush, Spice and green briars

West

4<sup>th</sup> Mile West

- 18.50 a Water course 25 lbs. wide bears S. no water  
 26.42 a Hickory 6 ins. dia. on a ridge rising from the water course  
 35.98 a Buck 16 ins. dia. on N. side of a ridge  
 43.00 a deep gutter bears S. West, no water  
 59.50 a Water course bears South 10 lbs. wide, no water  
 62.49 a Buck tree 10 ins. dia  
 63.50 a Water course 12 lbs. wide bears S. no water  
 68.57 a Poplar tree 34 ins. dia.  
 80.00 a Dogwood 3 ins. dia. corner of Sec. No. 4 & 5 Township No. 14 Range No. 3 West of the Mer.  
 This mile much broken all ridges & gutters, timbered as the preceding mile.  
 Marked the trees by the plan

West

5<sup>th</sup> Mile West

- 8.77 a gutter  
 14.75 a B. Walnut 24 ins. dia. on the S.E. side of a hill  
 25.00 a Water course 50 lbs. wide bears South between two tremendous hills, no water  
 28.00 a Buck 26 ins. dia. North of a gutter  
 30.75 a White Oak tree 18 ins. dia.  
 43.67 a Sugar tree 8 ins. dia  
 45.00 Loughery creek 2.50 lbs. wide, runs S. gentle current  
 60.78 Intersected the Indian Boundary line, here

fixed a post from which a Buck 30 ins. dia. bears N 18 E 10 M. dis. & another 8 ins. dia. bears S 17 E W 39 M. dis. Around the last post to the creek exceedingly broken, high ridges & deep gutters — The land 3<sup>d</sup> rate except from the creek, here a rich level bottom covered with Beech — Marked the trees by the plans, from this post (measured) south on the Indian Boundary line to the 19<sup>th</sup> Mile post, 18 chains. Nov. 11<sup>th</sup> 1880

South East Boundary of T No. 5 R. No. 3 W.  
1<sup>st</sup> Mile South from the N. East corner  
8.00 a Water course 4 M. wide (bears E. no water) over a ridge  
15.50 a gutters  
19.00 a Gum tree 18 ins. dia  
26.14 a Hickory 16 ins. dia. on S. side of a ridge  
37.50 a Water Course 8 M. wide bears E. no water  
65.50 North bank of Hoggan's creek runs S 50 E, 100 M. wide, but little water & gentle current, stony channel, in high water the channel from 3 to 500 M. wide  
80.00 a post from which a Buckeye 9 ins. dia. bears S 35 W 19 M. dis. & a Sugar tree 8 .. ..  
N 45 E 8 1/2 M. dis. — This mile uniformly high from ridges, with deep gutters, with an intolerable quantity of Priers, Saplings &c. 3<sup>d</sup> rate land, timber generally White Oak &c.

South 1<sup>st</sup> Mile South  
5.00 a Hickory 18 ins. dia. at the foot of a ridge  
18.77 Top of a ridge  
28.50 a Black Walnut 15 ins. dia  
49.9 a White Oak 36 ins. dia. on top of a high hill  
59.8 a White Oak 30 .. ..  
80.00 a post corner of Sec. No. 12 & 3 Township No. 5 Range No. 3 West of the Meridian — from

S. 5 N. 3 W. 1<sup>st</sup> Mer.

which a Gum 9 ins. dia. bears S 62° E 58 lbs. dis. &  
 a Hickory 11 ins. dia. bears N 85° W 57 lbs. dis.  
 This mile exceedingly broken, the hills very  
 high & deep gutters, almost impassible, 3<sup>rd</sup> rate land.  
 timbered as the mile preceding  
 Marked the trees by the plan

South

3<sup>rd</sup> Mile South

- 12.19 a B. Walnut 11 ins. dia. } the land cov<sup>d</sup> with brush &  
 30.70 a Hickory 28 ins. dia. } green briars from the post  
 40.22 a White Oak 22 ins. dia.  
 56.18 a White Oak 21 " "  
 80.00 a post from which a Maple 6 ins. dia. bears  
 S 25° W 42 lbs. dis. & a Hickory 8 ins. dia. bears  
 N 26° E 35 lbs. dis. This mile has but few ridges,  
 surface generally level 3<sup>rd</sup> mile of the best quality  
 timber as the preceding mile covered with green  
 briars & under brush

South

4<sup>th</sup> Mile South

- 12.82 a White Oak 11 ins. dia.  
 18.50 a Water course 20 lbs. wide, bears W. no water  
 20.46 a White Oak 30 ins. dia. - N. of a ridge  
 52.48 a Beech 13 ins. dia.  
 78.42 an Ash 8 ins. dia. - on a narrow ridge  
 80.00 a post from which a Beech 12 ins. dia. bears  
 S 65° E 14 lbs. dis. & a Beech 10 " " "  
 N 84° W 14½ lbs. dis. This mile 2<sup>nd</sup> rate land,  
 more broken than the preceding. Timber - Oak,  
 Poplar, Beech, Sugar tree, Gum, Hickory &c.  
 exceedingly covered with underbrush, Spice, green  
 briars - Marked the trees by the plan  
 November 6<sup>th</sup> 1860

South

5<sup>th</sup> Mile South

- 3.50 a deep gutter bears West

N. 5 R. 3 W. 4<sup>th</sup> Mer

- 12.26 an Hemlock 6 ins. dia  
 13.6 a White Oak 8 " "  
 16.73 a Beech 10 ins. dia. on the W. side of a ridge,  
 the land here exceedingly broken, covered with  
 Beech generally Poplar, Hickory, Gum, Sugar tree,  
 & under brush.  
 56.24 a Beech tree 15 ins. dia  
 69.00 a Water course 60 lbs. wide bears E (no water),  
 into Dougherty creek 400 lbs. dia.  
 80.00 a post in the creek immediately under the  
 North bank, from which an Elm tree 8 ins. dia.  
 bears N 5<sup>th</sup> W 50 lbs. dia. & another 20 ins. dia. bears  
 N 2<sup>nd</sup> E 48 lbs. dia. This mile exceedingly broken,  
 timbered Ash, Oak, Beech, Sugar tree, Poplar,  
 Gum & no underbrush. Soil 2<sup>nd</sup> rate. the creek  
 here bears N.E. Friday Nov. 7<sup>th</sup> 1800

South

6<sup>th</sup> Mile South

- Dougherty creek at the post runs N 30 East,  
 300 links wide  
 6.90 a Sugar tree 11 ins. dia  
 31.39 a Beech 18 ins. dia  
 40.00 ascended to the top of a ridge from the creek,  
 open level Beech land with a great many vines  
 68.50 a Beech 24 ins. dia  
 80.00 a Hickory 3 ins. dia - This mile high land  
 3<sup>rd</sup> rate fit for the production of small grain  
 timber - Beech, Sugar tree, Ash, some Oak and  
 Poplar, Hickory & a quantity of vines, but little  
 underbrush, Marked the trees by the plan

West Boundary of N. 5 R. (No. 3 W.  
 commenced at the 19<sup>th</sup> mile post on the  
 Indian Boundary line which was run from  
 the North bank of the Ohio, opposite the  
 Mouth of the Kentucky river to St. Recovery

I. S. R. 3<sup>rd</sup> M. 1<sup>st</sup> Mer.

N 5.25 E

20<sup>th</sup> Mile

- 11.50 a Sugar tree 8 ins. dia  
 22.00 To the bank of the creek running E. 200  
 lbs. wide. Encamped Friday September 20<sup>th</sup>  
 crossed the creek 200 lbs. wide  
 36.00 a Sugar tree 22 ins. dia, rich bottom land, Sugar  
 tree, White & Blue ash, & Black Walnut with  
 Spice undergrowth  
 62.75 a Blue ash 8 ins. dia  
 67.00 To the foot of a steep hill  
 75.00 Rose the hill  
 80.00 To a Buck notched on four sides for a  
 corner & No. 20. Over level land generally  
 much Buck timber along the creek, Soil  
 of middling quality, descending a hill

21<sup>st</sup> Mile

- 2.50 a Water course descends S. West  
 12.00 Rose a hill  
 26.25 a Hickory 18 ins. dia. begin to descend  
 27.00 crossed a water course descending West,  
 hills each side  
 34.00 Rose the Hill to a B. Oak 14 ins. dia  
 60.00 Enter good farming land well situated for cultivation  
 80.00 To a small water course descending N. W. (New)  
 fixed a post from which a Beech 12 ins. dia. bears  
 S 26.30 W 19 lbs. dia. & a Hickory 10 ins. dia. bears  
 N 73 1/2 W 37 lbs. dia. This mile generally proper for  
 cultivation, good soil gently rising & falling. Timber  
 with Black & White Oak, Hickory, Ash & Sugar tree

22<sup>nd</sup> Mile

- 16.31 a Poplar 22 ins. dia  
 41.00 a Water course descends East, level land, large White  
 Oak & Poplar timber  
 49.36 a White Gum 14 ins. dia



- 65.00 crossed a Water course descending East  
 76.00 a Water course descends East, 6 hrs. wide  
 80.00 Set a post from which a White Oak 16 ins. dia. bears  
 N 44 1/2 W 14 hrs. dis. & a W. Oak 14 ins. dia. bears  
 N 38 E 19 hrs. dis. — Along this mile is generally  
 good farming land, tall White & Black Oak & Poplar  
 timber, land pleasantly situated for cultivation

### 23<sup>rd</sup> Mile

- 22.00 a Stream 12 hrs. wide runs East, land gently  
 rising each side  
 46.56 a White Oak 26 ins. dia  
 68.50 a Water course descends E. East  
 80.00 a post from which a Beech 8 ins. dia. bears  
 S 99 W 16 hrs. dis & a Beech 8 " " "  
 N 58 W 11 hrs. dis. — Land of middling quality,  
 similar in quality & natural growth to the  
 preceding mile

### 24<sup>th</sup> Mile

- 7.57 a Beech 18 ins. dia  
 33.00 a Water course descends N. East  
 45.23 a White Oak 30 ins. dia  
 52.50 crossed a stream 12 hrs. wide, runs S 70 E  
 72.50 a Water course descends S 70 E  
 80.00 a post from which a White Oak 20 ins. dia. bears  
 S 50 W 33 hrs. dis. & a Beech 10 ins. dia. bears S 73 E  
 30 hrs. dis. Over land well situated, gently rising and  
 falling. timber N & B. Oak, Poplar Hickory  
 and Beech

### 25<sup>th</sup> Mile

- 14.45 a White Oak 24 ins. dia.  
 19.50 a Water course descends South East  
 34.47 a White Gum 16 ins. dia  
 43.97 a Beech tree 16 ins. dia

S. 5 R. 3 W. 1<sup>st</sup> Mer.

- 56.00 a Water course descends S<sup>80</sup>E  
 80.00 a Post from which a Sugar tree 14 ins. dia. bears East 20 lbs. dis. & a Buck 4 ins. dia. bears N<sup>70</sup>W 7 lbs. dis. Similar in quality & natural growth to the preceding mile

## Subdivisions into two mile blocks

South Between Sections No. 2 & 3

- 13.6 2 Sugar trees 15 ins. dia. (at the But  
 14.25 Bottom of very deep gutter  
 21.10 Top of a high ridge (very narrow  
 32.11 a Poplar 15 ins. dia.  
 42.14 a B. Walnut 30 ins. dia. on a large ridge  
 53.10 a White Oak 20 ins. dia  
 59.00 an Ash 12 ins. dia  
 61.50 a Water course 8 lbs. wide, bears E. no water  
 72.8 a White Oak 28 ins. dia, flat White Oak land  
 80.00 a Post from which a White Oak 10 ins. dia. bears N<sup>43</sup>E 31 lbs. dis. & a White Oak 18 ins. dia. bears S<sup>72</sup>W 31 lbs. dis. This mile 2<sup>nd</sup> rate land, the first  $\frac{1}{2}$  exceedingly broken, the other moderately level, handsome farming land & fine timber

South Between Sec. No. 10 & 11

- 0.55 an Ash 10 ins. dia.  
 18.44 a Gum 18 " "  
 46.44 a Water course 5 lbs. wide, bears W. (no water)  
 61.45 a Sugar tree 15 ins. dia  
 80.00 a Post, this mile uniformly flat clay land 3<sup>rd</sup> rate, proper for the production of small grain, with abundance of fine timber, generally Oak, Gum, Poplar, Ash, Sugar tree, &c. but little under brush except green briars. Monday Nov. 3<sup>rd</sup> 1860

West Between Sec. No. 12 & 13

- 19.37 a White Oak 7 ins. dia

S. 5 R. 3 W. 1<sup>st</sup> Mer.

- 40.57 a Black Oak 7 ins. dia  
 50.46 a B. Oak 24 ins. dia, level land & heavily timbered  
 80.00 a post, from which a Gum 12 ins. dia. bears N 10° E  
 21 lbs. dia. & a Hickory 22 ins. dia. bears N 5° W 43 lbs.  
 dist. This mile generally level, some few ridges, but  
 not large, the soil proper for the production of small  
 grain, being strong limestone, clay soil, fine timber  
 Oak, Hickory, Ash, Maple, some Sugar tree, under  
 brush Dogwood & other saplings, with amazing  
 quantities of green briars

## West Between Sec. No. 11 &amp; 14

- 13.18 a Gum 9 ins. dia  
 25.27 a White Oak 26 ins. dia  
 37.72 a " " 48 " "  
 45.59 a Water course 8 lbs. wide, bears S. no water  
 64.89 a Poplar 15 ins. dia  
 75.33 Intersects the line run South from corner of Sec. No.  
 2 & 3 Town 5— 2.57 lbs. North of the measure, here  
 fixed a post from which a White Oak 15 ins. dia. bears  
 N 30° E 31 lbs. dia. & a White Oak 24 ins. dia. bears  
 S 57° W 9 lbs. dia. This mile very level land, timber  
 & soil as the mile preceding, some under brush &  
 pines. The variation in this mile closing must be  
 owing to the exceeding surface both of the North &  
 East lines of these sections, marked the bees by  
 the plan Nov. 11<sup>th</sup> 1800

## West Between Sec. No. 10 &amp; 15

- 3.94 a w Ash 6 ins. dia. flat White Oak land  
 20.29 a White Oak 30 ins. dia  
 25.28 a Water course 12 lbs. wide bears S. no water running  
 48.75 a Water course 8 lbs. wide; no water  
 52.72 a Buck 8 ins. dia. on a narrow ridge  
 57.25 a Water course 6 lbs. wide bears S. no water  
 60.74 a Sugar tree 11 ins. dia. on the N. side of a ridge

## T. 5 R. 3 M. 1. Nov.

78.12 a Poplar 26 ins. dia., flat brushy land  
 80.00 a post from which a Sugar tree 4 ins. dia. bears  
 N 1° E 27 lbs. dia. & a White Oak 3 ins. dia. bears N 8° W  
 20 lbs. dia. This mile much broken with ridges and  
 some sink holes & gutters, strong clay soil. Fertile timber  
 White & Black Oak, Poplar, Gum, Beech, Sugar tree,  
 a great number of saplings & small brush - Spice  
 and Pines

West Between Sect. No. 9 & 16

11.30 a Water course 6 lbs. wide, bears S. no water  
 15.00 a Water course 50 lbs. wide  
 20.52 a Maple 7 ins. dia., rich land & much Spice  
 23.77 a White Oak 14 ins. dia - land 2<sup>d</sup> rate  
 30.40 a Poplar 26 ins. dia - land 3<sup>d</sup> rate  
 35.14 a Beech 24 ins. dia.  
 42.00 a Water course 5 lbs. wide, bears S. no water  
 44.00 a Water course 60 lbs. wide bears S. East, - stony  
 channel, but little water  
 43.53 a White Oak 26 ins. dia  
 80.00 a post from which a White Oak 16 ins. dia. bears  
 S 52° W 43 lbs. dia. & a Dogwood 4 ins. dia. bears N 21° E  
 35 lbs. dia. This mile much broken, many large  
 ridges, land 3<sup>d</sup> rate of the best quality, fit for the  
 production of small grain - with abundance of  
 fine timber Oak, Poplar &c - Marked the trees by  
 the plan

West Between Sect. No. 8 & 17

13.45 The Indian Boundary line, here fixed a post, from  
 which a Spanish Oak 24 ins. dia. bears N 75° E  
 28 lbs. dia. & a Dogwood 7 ins. dia. bears, T 81° W 12  
 lbs. dia - Land & timber as above

South Between Sect. No. 16 & 17

7.00 a Gum 14 ins. dia.

- 17.77 a Poplar 9 ins. dia. on the St. of a small gutter  
 35.30 the East fork of a Poplar 50 ins. dia. — beautiful land  
 and fine timber  
 56.5 a Poplar 26 ins. dia  
 67.66 a White Oak 24 ins. dia. land descending S. West  
 80.00 a post from which a Gum 10 ins. dia. bears East  
 25 lbs. dia. & a Hickory 11 ins. dia. bears N 6 W 35 lbs.  
 dia. (This mile 2<sup>d</sup> rate land, a number of small  
 moderate ridges with abundance of timber, Oak,  
 Buck, Gum, Poplar, Sugar tree, Hickory, but little  
 under brush, with some green pines)

South Between Sect. No. 20 & 21

- 1.94 a Sugar tree 4 ins. dia  
 11.87 a Hickory 16 ins. dia — on a high hill  
 17.60 a stream 40 lbs. wide, but little water, runs across  
 the line East, thence South  
 24.00 a Water course 30 lbs. wide, no water bears East, across  
 the line & falls into the other 200 lbs. from the line  
 & both run East  
 30.58 a White Oak 26 ins. dia  
 57.20 a Buck 15 " "  
 60.6 a Poplar 24 " "  
 65.00 a gutter bears S 20 E no water  
 80.00 a post from which a Gum 8 ins. dia. bears N 6 E  
 45 lbs. dia. & a Gum 18 ins. dia. bears S 8 W 18 lbs.  
 dia. (This mile 2<sup>d</sup> rate land from 30 58 of the best  
 quality from thence to the post covered with exceedingly  
 fine timber of the largest size, Oak, Poplar, Gum,  
 Buck & but little under brush, marked the trees  
 by the plan)

East Between Sect. No. 21 & 28

- 5.82 a Poplar 36 ins. dia  
 7.75 a deep gutter bears South 8 lbs. wide, no water  
 23.32 another bears South 8 lbs. wide, no water as point 2 others



S. 5 R. 3 M. 1<sup>st</sup> Mer.

- 35.53 a Black Oak 16 ins. dia.  
 46.97 a White Oak 20 " "  
 67.79 another 22 ins. dia. on the N. side of a ridge  
 73.44 another 28 ins. dia.  
 80.00 a Dogwood 4 1/2 ins. dia. This mile for 10 or  
 12 hrs. 2<sup>nd</sup> rate land, & fine timber as before enu-  
 merated, from thence to this place much broken  
 & 3<sup>rd</sup> rate, timber as before only not so large.  
 Wednesday Nov. 5<sup>th</sup> 1850.

- South Between Sec. No. 14 & 15  
 6.14 a maple 10 ins. dia.  
 30.66 a Hickory 18 ins. dia. — bushy woods  
 43.25 a Water course 16 hrs. wide, bears W. no water  
 53.85 a White Oak 22 ins. dia.  
 " a maple 7 ins. dia.  
 80.00 a post from which a White Oak 24 ins. dia. bears  
 N 76 1/2 E 25 hrs. dia. & a Gum 10 ins. dia. bears N 60 1/2 W  
 26 hrs. dia. This mile 2<sup>nd</sup> rate land with abun-  
 dance of timber Oak, Maple, Sugar tree, Gum,  
 Hickory &c. much saplings & green briars

- South Between Sec. No. 22 & 23  
 13.56 a Water course 8 hrs. wide, no water bears P. E  
 30.00 a Hickory 20 ins. dia. a great declivity South,  
 poor timber —, Spice, Hawth, Dogwood &c  
 40.79 a Black Oak 14 ins. dia.  
 63.57 a Blue Ash 8 ins. dia. on the N. side of a ridge  
 80.00 a post, This mile exceedingly broken, large high  
 ridges & deep hollows, soil 2<sup>nd</sup> rate. Timber, Oak,  
 Hickory, Sugar tree, Gum &c. with an amazing  
 quantity of Spice & other under brush, green briars &c

- East Between Sec. No. 22 & 27  
 6.33 a White Oak 40 ins. dia.  
 24.00 a clear beautiful ridge, Sugar tree timber

N. 5 R. 3 W. 1<sup>st</sup> Mer.

- 41.61 a Stream 150 lbs. wide, bears S 30° E, stony channel  
great fall (a branch of Longherry)
- 42.19 a White Walnut 14 ins. dia. on the stream
- 48.11 a Sugar tree 11 ins. dia. on the south of a ridge
- 64.9 a Lignum 14 ins. dia
- 66.25 a Stream 3 chs. wide bears S 30° E, but very little  
water, a powerful stream when high, elegant  
building stones
- 79.75<sup>1</sup>/<sub>2</sub> Intersected the line from corner of Sec. No.  
10. 11. 14 & 15 Town 5 Range 3 West of the Mer.  
70 lbs. south of the measure, here fixed a post  
from which a Sugar tree 7 ins. dia. bears S 34° W  
25 lbs. dis. & a White Oak 9 ins. dia. bears N 33° E  
43 lbs. dis. This mile State land well timbered  
very broken & covered with Spruce & underbrush

## East Between Sec. No. 23 &amp; 26

- 5.50 a Buckeye 8 ins. dia
- 37.36 a forked Elm 10 ins. dia
- 42.50 a Branch of Longherry 200 lbs. wide, no water, bears S.
- 56.77 an Elm 14 ins. dia
- 61.50 a Water course 8 lbs. wide, bears S. W. no water
- 66.56 a Hickory 24 ins. dia. N. side of a ridge
- 80.00 a post from which a White Oak 18 ins. dia. bears  
N 9° W 27 lbs. dis. & a Maple 8 ins. dia. bears S 21° E.  
58 lbs. dis. This mile exceedingly broken State  
land, timber Oak, Elm, Birch, Sugar tree, Ash, &  
Hickory &c. covered with Spruce & green briars  
beyond any thing I have seen

## East Between Sec. No. 24 &amp; 25

- 22.10 a Sugar tree 9 ins. dia. on the S. side of a ridge
- 36.25 a " " 8 " " on the end of a high ridge
- 43.75 a Water course crested at 45.50 crested an Island  
no water, bears South
- 47.30 a gutter

T. 5 R. 3 W. 1<sup>st</sup> Mer

49.89 an Oak 14 ins. dia.

69.10 a Hickory 26 ins. dia

76.64 Intersected the line ran South, from the corner of Towns 4 & 5 Range 2 & corner of Towns 5 & 6 Range 3 West of the Mer. 109 lbs. north of the measure, here fixed a post & marked the trees by the plan, from the post a Beech 9 ins. dia. bears N 13° W 21 lbs. dia. & another 12 ins. dia. bears N 13° E 14 1/2 lbs. dia. This mile exceedingly broken, one continuation of tremendous hills & deep gutters, timbered as the mile preceding, same soil, Spruce & birch

South Between Sec. No. 26 & 27

1.84 a Black Oak 5 ins. dia.

14.00 a Stream 2.50 lbs. wide but little water bears S 20° E

25.64 a White Oak 4 ins. dia. on the N. of a high ridge

32.50 The North bank of a branch of Loughery creek bears East, little water

34.29 Little Branch of Do.

42.12 a Hickory on the N. side of a hill

45.30 a Water course 25 lbs. wide, bears E. no water

56.21 a White Oak 50 ins. dia. on the N. side of a hill, a Black Oak 5 ins. dia.

80.00 a post from which a Sugar tree 5 ins. dia. bears N 71° E 17 lbs. dia. & a Hickory 6 ins. dia. bears N 87° W 14 lbs. dia. This mile uncommonly broken, all very high ridges & very deep hollows - land 3<sup>d</sup> rate, timber - Oak, Sugar, Hickory &c. with Spruce & birch

South Between Sec. No. 34 & 35

6.87 an Oak on the South side of a hill

8.00 a Water course 25 lbs. wide, bears E. no water

15.92 a Sugar tree 9 ins. dia

29.50 a Water course 30 lbs. wide, bears N 50° E, no water

## S. 5 R. 3 W. 1. Merri

- 34.17 an ash 26 ins. dia.  
 45.00 Entered open Beech woods, level 2<sup>nd</sup> rate land  
 46.53 a Poplar 16 ins. dia  
 72.41 a Beech 9 " "  
 80.00 a post, this mile exceedingly broken, the 1<sup>st</sup> 45 chs.  
 over high narrow ridges, from more level land, well  
 timbered, Oak, Poplar, Beech, Sugar tree, Gum, Elm  
 &c. no under brush Saturday Nov. 8<sup>th</sup> 1800

## West Between Sec. No. 20 &amp; 29

- 17.18 a Beech 7 ins. dia  
 10.00 a Water course 15 lbs. wide, bears p. no water  
 23.15 a Hickory 24 ins. dia  
 39.50 a post on the Indian Boundary line, corner of  
 Sec. No. 20 & 29 Township 5 Range 3 W. of Merri  
 from which a Hickory 15 ins. dia. bears S 24<sup>th</sup> W  
 41 lbs. dia. & a White Oak 26 ins. dia. bears N 45<sup>th</sup> E  
 26<sup>th</sup> lbs. dia. This fraction 2<sup>nd</sup> rate land fit for the  
 production of small grain, timber White Oak,  
 Sugar tree Beech, Poplar, Gum, some under brush  
 & green piers - marked the trees by the plan

## South Between Sec. No. 28 &amp; 29

- 1.16 a Poplar 24 ins. dia  
 10.89 a Hickory 26 " "  
 17.00 a Water course 25 lbs. wide bears E. no water  
 23.85 a Hickory 5 ins. dia  
 45.50 a Black Oak 29 ins. dia  
 67.50 a White Oak 30 " "  
 80.00 a post from which a Beech 12 ins. dia. bears  
 N 65<sup>th</sup> E 21<sup>th</sup> lbs. dia. & a White Oak 28 ins. dia. bears  
 West 21 lbs. dia. This mile 2<sup>nd</sup> rate level handsome  
 farming land, fit for the production of small  
 grain, timber Oak, Sugar tree, Poplar,  
 Hickory & Beech, but little under brush

T. 5 R. 3 W. 1<sup>st</sup> Mer

South Between Sec. No. 32 & 33

- 3.46 a Buck 18 ins. dia.  
 17.00 a Poplar 26 ins. dia. land & timber same as before  
 22.41 a Poplar f. of a small gutter 24 ins. dia.  
 41.00 a Water course 18 lbs. wide bears S.W. no water,  
 from the above Poplar the land much broken  
 56.50 on a ridge from thence descending  
 61.00 a Poplar 14 ins. dia.  
 67.72 a Buck 12 " "  
 76.00 a deep gutter  
 80.85 Intersect the line run West from corner of Towns  
 34 & Range 2 & 4 & 5 Range 3 West of true Mer.  
 1.64 lbs. West of the measure, here fixed a post  
 from which a Buck 16 ins. dia. bears N 57° 41' W 22  
 lbs. dia. & as do 14 " " " P 38° 10' lbs  
 This mile similar to the preceding as far as  
 22.41 from thence broken 3<sup>rd</sup> rate land, from timber  
 The trees marked by the plan

The Meanders of Longherry creek in  
 T. 5 R. 3 W. of Mer.

Commenced at the Indian boundary in Sec. 32

- S 88° E 10.50 along the S. bank fine building stone  
 N 43° E 2.50 at c. l. crossed the Section No. 5 & 32,

Towns 4 & 5 Range 3 West

Commenced at the S. boundary of Town 5 in  
 Section No. 36

- N 33° E 3.75  
 N 77° E 4.00  
 P 32° E 9.00 at c. l. the line between Sec. No. 1 & 36  
 Towns 4 & 5 Range 3 West

Commenced again where the creek intersects  
 the South Boundary of Sec. No. 36 considering  
 East of the 1<sup>st</sup> intersection

N 68° W 1.00

N 64° W 14.00, rapid water, no falls, the channel 400 lbs. wide



- N 93:4 16.50  
 N 7:6 9.00  
 N 41:6 4.00  
 S 78:6 13.50 at large sandy brushy Island (covered with small Sycamores) with nothing  
 N 12:6 7.00 at 4 hrs. a large deer lick on E. bank now dry  
 N 24:6 6.50  
 N 31:6 9.00 at 8.50 the mouth of a stream 150 yds. wide W. side enters North but very little water a fine bottom on the W. side  
 N 34:4 13.50 at 12.45 passed the line between Sec. no. 36 Town 5 Range 3 & section no. 31 Town 4 Range 2 West.

Surveyed by  
 Benjamin Chambers Nov. 1880.

- 
- Subdivisions of 2 mile block  
 North On Random between Sec. No. 11 & 12  
 40.00 Set temp  $\frac{1}{4}$  Sec. post  
 71.75 a Water course 6 hrs. wide, bears S. East  
 80.00 Set temp center post. Land hilly 3<sup>rd</sup> rate, Oak, Hickory, Gum, Dogwood & intolerable brush

- 
- Continued north Between Sec. No. 1 & 2  
 7.10 a Water course 7 hrs. wide runs S. E  
 9.25 a " " 6 " " " N 10:6  
 28.59 a " " 5 " " " S. E.  
 40.00 Set the temp.  $\frac{1}{4}$  Sec. post  
 50.58 a Water course 30 hrs. wide runs N. E  
 67.00 a " " 8 " " " East  
 73.48 Hogan's creek 180 " " " N 60:6  
 79.29 Full 290 hrs West of post corner of Sec. No. 1 & 2. Hilly 3<sup>rd</sup> rate land, Oak, Hickory, Gum, Maple, Dogwood & Saplings very brushy

---

South Section between Sec. No. 1 & 2 & set temp  $\frac{1}{4}$

## S. 5 R. 3 Mt. 1. Mer.

Sec. post at average distance on true line

Souths Connected South between Sec. No. 11 & 12 and set  
 the Sec. post at average distance on true line.  
 September 28<sup>th</sup>

East (Shore) corner of Sec. No. 2, 3, 10 & 11 on random  
 between Sec. No. 2 & 11  
 17.50 a Water course 5 lbs. wide bears North  
 40.00 Set temp. the Sec. post  
 54.49 a Water course 7 lbs. wide runs S. E.  
 60.89 a Do Do 12 .. " " N 50 E  
 77.27 To N & S. line. (Milly 3<sup>rd</sup> rate land, Hickory, maple,  
 Sugar Dogwood, Gumwood & brush of every description  
 & covered with grape vines

## East continue East

5.25 a Water course 1 lbs. wide, runs N. E.  
 32.62 a " " 12 " " " N. E.  
 40.00 Set temp. the Sec. post  
 57.53 a Water course 20 lbs. wide runs N. E.  
 75.07 a " " 15 " " " N 30 E  
 81.53 Tell 5 3/4 lbs. South of post corner of Sec. No. 1 & 12  
 Land & timber as before

West Connected between Sec. No. 1 & 12 & set the Sec. post  
 at average distance from which a W. Oak 7 ins. dia.  
 bears N E 15 lbs. dis. & a W. Oak 4 ins. dia. bears  
 N E E 30 lbs. dis.  
 Continued West on true line & fell 350 lbs. South  
 of temp. post, moved it to centre corner of Sec. No.  
 1, 2, 11 & 12 from which a Hickory 15 ins. dia. bears  
 N 47 E 8 lbs. dis. & a Sugar 5 ins. dia. bears N 63 W  
 31 lbs. dis.

South Traveled South between Sec. No. 11 & 12 & set

$\frac{1}{4}$  sec. post to average distance from which a B Oak 15 ins. dia. bears S 11<sup>o</sup> W 5 lks. dis. & a Hickory 5 ins. dia. bears N 31<sup>o</sup> E 39 lks. dis

North Traveled north between Secs. No. 14 & 15 moved  $\frac{1}{4}$  sec. post to average distance from which a Sugar 8 ins. dia. bears N 69<sup>o</sup> E 16 lks. dis. & a Sugar 14 ins. dia. bears S 86<sup>o</sup> W 3 lks. dis.

West From centre post on true line between Secs. No. 2 & 11 & set  $\frac{1}{4}$  sec. post at average distance from which a W. Oak 18 ins. dia. bears N 53<sup>o</sup> W 19 lks. dis. & a Red Oak 20 ins. dia. bears S 111<sup>o</sup> E 15<sup>o</sup> lks. dis. Continued to corner of Secs. No. 2. 3. 10 & 11

North On Random between Secs. No. 9 & 10  
110.00 Set temp.  $\frac{1}{4}$  sec. post  
80.00 Set temp. centre post - Level D<sup>o</sup> rate land Oak, Hickory, Poplar, Dogwood & green briars

Continued north between Secs. No. 3 & 11  
110.00 Set temp.  $\frac{1}{4}$  sec. post  
77.29 Set 153 lks. W. of post, corner to Secs. No. 3 & 11  
Level D<sup>o</sup> rate land, timber as above

South Connected between Secs. No. 3 & 11 & set  $\frac{1}{4}$  sec. post at average distance

South Connected South between Secs. No. 9 & 10 & set  $\frac{1}{4}$  sec. post at average distance on true line

North Having no post to run to proceeded to run & blaze between Secs. No. 8 & 9

944 The hilly fork of Longhorn creek 20 - N 56  
40.00 Set temp.  $\frac{1}{4}$  sec. post  
41.10 a water course 12 lks. wide runs N 10 E

M. 5 R. 3 W. 1<sup>st</sup> Mer

55.40 a Water course 12 lbs. wide runs S 11° E  
 80.00 Set temp. centre post. Moderate ridges, 2<sup>nd</sup> rate soil  
 Oak, Poplar, Hickory, Buck. Dogwood, Sassafras.  
 Blackberry & green briars

North Continued north between Sec. No. 5 & 11

18.30 To Indian boundary set post from which a  
 Whiting 9 ins. dia. bears N 69° W 25 lbs. dis. &  
 a Buck 8 " " " 179° E 8 " "

West Leaving no post to run to proceeded to run & blaze  
 between Sec. No. 3 & 10

33.30 a Water course 8 lbs. wide runs S. E.

40.00 Set temp. 1/4 sec. post

50.82 To N & S line fell 309 lbs. South of temp.  
 post, moved it to centre corner of Sec. (No. 3. 4. 9 & 10  
 from which a Dogwood 5 ins. dia. bears N 79° E 20  
 lbs. dis. & a Dogwood 4 ins. dia. bears S 57° W 18 1/2 lbs.  
 dis. Soil 2<sup>nd</sup> rate land, Oak, Hickory, Dogwood  
 Sassafras, Spice, Blackberry & green briars

East Traveled East between Sec. No. 3 & 10 & moved  
 1/4 sec. post to average distance from which a W.  
 Oak 14 ins. dia. bears N 7° E 29 lbs. dis. & a Buck  
 3 ins. dia. bears S 72° E 13 lbs. dis.

South Traveled South between Sec. (No. 9 & 10) & moved  
 1/4 sec. post to average distance from which a Maple  
 12 ins. dia. bears N 68° E 28 lbs. dis. & a B. Gum 14  
 ins. dia. bears N 34° W 17 1/2 lbs. dis.

North Traveled North between Sec. No. 3 & 11 &  
 moved 1/4 sec. post to average distance, from which  
 a W. Oak 39 ins. dia. bears S 73° E 15 lbs. dis. & a  
 Buck 8 ins. dia. bears S 71° W 11 lbs. dis.

West Continued from centre post between Sec. No. 4 & 9  
 27.75 a Water course 7 lbs. wide, runs South  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 52.22 a Water course 8 lbs. wide, runs S  $15^{\circ}$  E  
 51.43 Set 362 lbs. South of temp. post, moved it to ~~center~~  
 intersection corner of Sec. No. 4. 5. 8 & 9 from which  
 a W. Oak 28 ins. dia. bears N  $44^{\circ}$  E 20 lbs. dis. &  
 Dogwood 6 " " " S  $22^{\circ}$  W 23 lbs. dis.  
 Land & timber as before

South Traveled South between Sec. No. 8 & 9 & moved  $\frac{1}{4}$   
 Sec. post to average distance from which a Beech 16  
 ins. dia. bears S  $49^{\circ}$  E 43 lbs. dis. & a Dogwood 3 ins. dia.  
 bears N  $63^{\circ}$  W 22 lbs. dis.

West Continued West between Sec. No. 5 & 8 from  
 corner of Sec. No. 4. 5. 8 & 9  
 30.8 To Indian boundary - Set post from which a  
 maple 13 ins. dia. bears S  $63^{\circ}$  W 27  $\frac{1}{2}$  lbs. dis. &  
 a Dogwood 4 " " " S  $87^{\circ}$  E 18  $\frac{1}{2}$  " "

East Traveled East between Sec. No. 4 & 9 & moved  
 $\frac{1}{4}$  Sec. post to average distance from which a Poplar  
 12 ins. dia. bears S  $15^{\circ}$  E 32 lbs. dis. & a Begonia 18 ins.  
 dia. bears N  $6^{\circ}$  W 44 lbs. dis.

West Having no post to run to proceeded to run &  
 blaze between Sec. No. 17 & 20  
 7.45 a Water course 10 lbs. wide runs S  $20^{\circ}$  E  
 24.85 To Indian boundary, Set post from which a Beech  
 7 ins. dia. bears N  $57^{\circ}$  W 26 lbs. dis. & a Beech 5 ins. dia.  
 bears S  $25^{\circ}$  E 16 lbs. dis. Private land, moderate ridges,  
 Oak, Hickory, Beech, Sugar, Dogwood, Spice and  
 green pines

North On Range between Sec. No. 21 & 22



T. 5 R. 3 W. 1<sup>st</sup> Mer.

13.25 a Water course 10 lbs. wide runs East  
 29.95 " " " 10 " " " East  
 33.00 " " " 120 " " " S.E.  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 50.20 a Water course 6 lbs. wide, runs S.W.  
 80.00 Set temp. center post -  $\frac{3}{4}$  of this line between  
 -dous hills, 3<sup>rd</sup> mile, Oak, Hickory, Ash & Sugar,  
 under brush, Dogwood, Spice, Ironwood & that  
 very thick

North Continued North between Sec. No. 15 & 16  
 26.00 a Water course 8 lbs. wide runs S.E.  
 27.75 a " " 100 " " " S.E.  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 82.52 Set 38 lbs. East of post corner to Sec. No. 9. 10.  
 15 & 16. Milly 3<sup>rd</sup> mile land Oak, Hickory & most  
 awful thickets of Hagle, Sassafras, Blackberry  
 & green vines - marked the trees by the plan -  
 & all told.

South Connected between Secs No 15 & 16 & set temp.  $\frac{1}{4}$   
 Sec. post at average distance

Connected South between Sec. No. 21 & 22 & set temp.  
 $\frac{1}{4}$  Sec. post at average distance on true line

West From corner of Sec. No 14. 15. 22 & 23 on random  
 between Sec. No. 15 & 22

25.25 Longhorn creek 12 5 lbs. wide runs S.  
 40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 50.73 S. North & South line - South, moderate hills  
 Oak, Hickory, Dogwood, Ironwood & Spice

Continued West

40.00 Set temp.  $\frac{1}{4}$  Sec. post  
 80.52 Hit the post! corner of Sec. No 16. 17. 20 & 21

Level 2<sup>nd</sup> rate, Oak, Hickory, Dogwood, green briars  
 & Spice. Penny Chambers again tells us that he  
 "marked the trees by the plan"

East Corrected between Secs. No. 16 & 21 & set the sec. post  
 at average distance on true line from which a Buck  
 15 ins. dia. bears N 3 E 24<sup>1</sup>/<sub>2</sub> lbs. dis. & a Sugar 8 ins.  
 dia. bears S 59 E 14 lbs. dis.

Continued on true line & fell 14.3 lbs. north of  
 temp. post moved it to centre corner of Secs. No. 15,  
 16, 21 & 22 from which a Buck 14 ins. dia. bears  
 N 66 E 9 lbs. dis. & a Duck 12 ins. dia. bears N 60 W  
 25 lbs. dis.

South Traveled South between Secs. No. 21 & 22 and  
 moved the sec. post to average distance, from which  
 a Sugar tree 9 ins. dia. bears S 87.30 E 15 lbs. dis. &  
 a " " 12 " " " N 13 W 14<sup>1</sup>/<sub>2</sub> lbs. dis.

North Traveled north between Secs. No. 15 & 16 and  
 moved the sec. post to average distance from which  
 a Sugar 12 ins. dia. bears N 70 E 39 lbs. dis. & a  
 Dogwood 6 " " " S 58 W 25 " "

East From centre post on true line between Secs. No.  
 15 & 22 & set the sec. post at average distance from  
 which a Sugar tree 24 ins. dia. bears N 23 W 17 lbs.  
 dis. & a " " 10 " " " S 66 E 37 lbs. dis.  
 continued to corner of Secs. No. 14, 15, 22 & 23

North On Randon between Secs. No. 23 & 24  
 40.00 set the temp. the sec. post  
 46.48 a Water course 5 lbs. min runs S 110 E  
 66.10 a " " 3 " " " S 30 E  
 80.00 set temp. centre post, Level 3<sup>rd</sup> rate land, B, &  
 M. Oak, Hickory, B. Green Dogwood & green briars

M 5 R. 3 W. 1<sup>st</sup> Mer

North Continued North between Sec. (No. 13 & 14  
 40.00 Set temp. 1/4 Sec. post  
 73.42 a Water course 4 hrs. wide, runs S. West  
 11.42 Shell 3.15 hrs. East of post corner of Sec. (No. 11.12.  
 13 & 14 Land & timber as above

South Corrected between Sec. (No. 13 & 14, Set temp. 1/4  
 Sec. post at average distance on true line  
 Corrected South between Sec. (No. 23 & 24 and  
 Set temp. 1/4 Sec. post at average distance on  
 true line September 9<sup>th</sup>

East From corner of Sec. No. 14.15.22 & 23 on random  
 between Sec. (No 14 & 23  
 34.07 a Water course 8 hrs. wide runs S E  
 40.00 Set temp. 1/4 Sec. post  
 50.25 a Water course 14 hrs. wide runs S E  
 75.98 To N. & S. line, Broken with moderate ridges  
 Brule, Oak & Hickory, Dogwood, Spruce & G. Birch

East Continued East  
 10.20 a Water course 4 hrs. wide runs S. East,  
 14.05 a " " 3 " " " South  
 28.80 a " " 5 " " " S. East  
 31.07 a " " 8 " " " South  
 40.00 Set temp. 1/4 Sec. post  
 53.06 a Water course 6 hrs. wide runs S. East  
 53.80 a " " 30 " " " South  
 71.21 Shell 169 hrs. North of post corner of Sec. No. 13 & 24  
 Land & timber as above

West Corrects between Sec. (No. 13 & 24 & set 1/4 Sec. post  
 at average distance on true line from which a  
 Sugar 5 ins. dia. bears N 77° 25 hrs. air, & a Hickory  
 15 ins. dia. bears S 5° 50 hrs. air.

D. 5 R. 3 W. 1<sup>st</sup> Mer

Continued on true line & fell 8 8 lbs. north of temp.  
post, moved it to centre corner of sec. (No. 13. 14.  
23 & 24 from which a D. Oak 30 ins. dia. bears N 35 E  
7 lbs. dis. & a W. Oak 24 ins. dia. bears N 23 W 29 lbs. dis

South Traveled South between sec. (No. 23 & 24 & moved  
to sec. post to average distance from which a D. Oak  
12 ins. dia. bears N 45 E 112 lbs. dis. & a W. Oak 24  
ins. dia. bears N 55 W 38 lbs. dis.

North Traveled North between sec. (No. 13 & 14 and  
moved to sec. post to average distance from which  
a Sugar tree 12 ins. dia. bears N 64 E 38 lbs. dis. & a  
White ash 6 " " " N 49 W 46 " "

West From centre post on true line between sec. 14 & 23  
set to sec. post at average distance from which a  
Michigan 12 ins. dia. bears N 33 W 13 lbs. dis. & a W. Oak  
6 ins. dia. bears N 13 E 21 lbs. dis.  
Continued to corner of sec. (No. 14. 15. 29 & 33

East On Random between sec. (No. 26 & 35  
110.00 set temp. to sec. post  
53.11 a Water course 32 lbs. wide runs N. E  
69.55 a " " " " " " " " N. E.  
80.00 set temp. centre post, D. route land, exceeding  
hilly, Oak, Ash, Elm, Michigan, Sugar, Dogwood,  
Basswood, Spice V.

East Continued East between sec. (No. 25 & 36  
13.07 a fork of Sugar tree creek 100 lbs. wide runs S.  
33.68 a Water course 8 lbs. wide runs S. E.  
40.00 set temp. to sec. post  
79.67 fell 8 lbs. South of post corner of sec. (No. 25 & 36  
Very hilly D. route land, Oak, Ash, Walnut, Poplar,  
Sugar, Michigan, Dogwood, Red bud, Basswood, Spice

N. 5 R. 3 W. 1<sup>st</sup> Mer.

and other brush

West. Corrected between Sec. No. 25 & 36 & set temp.  
 1/4 sec. post at average distance on true line

West. Corrected West between Sec. No. 26 & 35 & set  
 temp. 1/4 sec. post at average distance on true line

South. Ground corner of Sec. No. 23, 24, 25 & 26 on  
 Random between Sec. No. 25 & 26

40.00 Set temp. 1/4 sec. post

65.30 a fork of Longhorn 116 lbs. wide, runs East

70.66 a " " " 88 " " "

81.90 So E & W. line, Millly White land, Oak, Ash,  
 Buck, Sugar, Hickory, Elm, Dogwood, Redbud,  
 Ironwood, Spice, other brush & green briars

South Continued South

3.10 a Water course 6 lbs. wide runs S 30° E

16.66 a " " 18 " " " N. E

29.72 a " " 8 " " " N. E

40.00 Set temp. 1/4 sec. post

71.50 a Water course 10 lbs. wide, runs S. E

72.69 a " " 9 " " " East

82.62 Fell 3.45 lbs. Co. of post corner to Sec. 35 & 36  
 Broken White land, with exceeding high hills  
 Buck, Ash, Oak, Hickory, Elm, Sugar, Dogwood  
 Spice & other brush

North. Corrected between Sec. No. 35 & 36 & set 1/4 sec. post  
 at average distance, from which a Red Oak 20  
 ins. dia. bears N 33° E 21 lbs. dia. & a Buck 18  
 " " " S 51° W 22 " "

Continued North on true line & fell 48 lbs. W.  
 of post, moved it to center corner of Sec. No. 25.  
 26.35 & 36 from which a Hickory 9 ins. dia. bears



N 50° W 22 lbs. dis. & a Hickory 15 ins. dia. bears S 33° E  
3.1 links distant

West Traveled West between Sec. No. 26 & 35 and  
moved 1/2 sec. post to average distance, from which  
a W. Oak 16 ins. dia. bears S 84° E 20 lbs. dis. & a W. Oak  
13 ins. dia. bears N 63° W 32 lbs. dis

East Traveled East between Sec. No. 25 & 36 & moved  
1/2 sec. post to average distance from which a Hickory  
6 ins. dia. bears S 29° W 16 lbs. dis. & a Hickory 4 ins.  
dia. bears N 18° E 21 lbs. dis

North From centre post on true line between Sec. No.  
25 & 26 and set 1/2 sec. post at average distance, from  
which a Sugar 12 ins. dia. bears N 40° E 17 lbs. dis. & a  
Sugar 7 ins. dia. bears S 74° W 12 lbs. dis.  
Continued North to cor. of Sec. No. 23 24. 25 & 26

West On Random between Sec. No. 27 & 34  
36.50 a Water course 10 lbs. wide, runs N E  
40.00 set temp. 1/2 sec. post  
79.34 a Water course 8 lbs. wide, runs N E  
80.00 set temp. centre post - 2<sup>nd</sup> rate land moderate ridge  
Oak, Beech, Ash, Hickory, Poplar, Dogwood &  
green briars

West Continue between Sec. No. 28 & 33  
40.00 set temp. 1/2 sec. post  
59.92 a Water course 4 lbs. wide, runs S. E.  
80.00 Set 55 lbs. south of post corner of Sec. No. 28.  
29.3 29.3 1/2 - Level 2<sup>nd</sup> rate land, Oak, Gum,  
Beech, Hickory, Poplar, Dogwood, green briars  
& Huckleberry

East Corrected between Sec. No. 28 & 33 and set temp.

G. 5 R. 3 M. 1<sup>st</sup> Mer.

	$\frac{1}{4}$ sec. post at average distance on true line.
East	Connected between Sec. No. 27 & 34 & set temp. $\frac{1}{4}$ sec. post at average distance on true line
South	From corner of Sec. No. 21. 22. 27 & 28 on Random between Sec. No. 27 & 28
111.00	a Water course 25 lbs. wide runs East
40.00	Set temp. $\frac{1}{4}$ sec. post
46.31	a Water course 10 lbs. wide, runs N 75 E
60.00	a " " 6 " " " N.E.
81.15	To E & W. line, 2 <sup>nd</sup> into land moderate ridges Oak, Ash, Hickory, Poplar Dogwood, ground & Black-berry bushes
South	Continue South
.02	a Water course 8 lbs. wide, runs N.E.
40.00	Set temp. $\frac{1}{4}$ sec. post
80.25	fell 57 lbs. East of post cor. of Sec. No. 33 & 34 2 <sup>nd</sup> into land moderate ridges, timber as above
North	Connected between Sec. No. 33 & 34 and set $\frac{1}{4}$ sec. post at average dis. on true line, from which a B. Oak 16 ins. dia. bears N 78 E 36 lbs. dia. & a W. Oak 11 ins. dia. bears S 86 W 29 lbs. dia.
North	Continued North on true line and fell 53 lbs. East of temp. post, moved it to centre corner of Sec. No. 27. 28. 33 & 34. from which a Sugar 8 ins. dia. bears N 50 W 22 lbs. dia. & a Sugar 7 ins. dia. bears S 44 E 35 lbs. dia. Marked the trees by the plan
West	Traveled West between Sec. No. 28 & 33 and moved the sec. post to average distance from which a W. Oak 18 ins. dia. bears S 32 E 25 lbs. dia. & a

Michigan 11 ins. dia. bears N 47 E 17 lbs. dis

East Traveled East Between Sec. (No. 27 & 32 and moved  $\frac{1}{4}$  sec. post to average distance from which a Michigan 10 ins. dia. bears N 48 W 4 lbs. dis. & a Michigan 18 ins. dia. bears N 60 E 19 lbs. dis.

North From centre post on true line between sec. No. 27 & 28 and set  $\frac{1}{4}$  sec. post at average distance from which a W. Oak 30 ins. dia. bears S 22 W 7 lbs. dis. & a Buck 12 ins. dia. bears N 43 E 47 lbs. dis. Continued to corner of sec. No. 22. 27 & 28

West Having no fixed post to run to, proceeded to run & blaze between sec. (No. 29 & 32

20.11 a Water course 4 lbs. wide, runs S. W  
47.27 To Indian Boundary, set post from which a Buck 26 ins. dia. bears N 6 W 33 lbs. dis. & a Sugar 9 ins. dia. bears N 59 E 16 lbs. dis.

Dr. Kate land, Oak Co.

1805— Surveyed by  
Benjamin Chambers D. Sur.

I certify that the foregoing Transcript of the Field notes of Township No. 5 Range No. 3 West of the 1<sup>st</sup> Mer. has been compared with the original in this office & found to be correct.  
Surveyor General's Office  
Cincinnati, Feb. 10. 1844

*B. L. Cairnes*  
Deputy